www.jlinkindi.com

JLINK INDIA
AI automation
Flip the way you switch

Get Latest Catalogue

**Product Catalogue
from JLINK INFOTAINMENT PVT. LTD**
2025 Edition

JLINK INDIA
AI automation
Flip the way you switch

Switch ● Light ● Lock ● Curtain

Contents

ABOUT JLINK

Jlink is a leading Smart Automation and Internet of Things (IOT) solutions providing company for Homes, Enterprises, Hotels, Hospitals, Senior Living and Warehouses.

Our offerings enable Smart AI App based control of switches, curtains, blinds, remote door locks, air conditioners, media devices, camera, video door phones and include monitoring of sensors for safety and security related to smoke, gas leak, door intrusion and more.

Our choice of wireless and wired deployment options allow users flexibility, minimize disruption and allow them to easily adapt the solution as their needs change. Users have access to control and monitor devices through Smart Apps or through voice control via Google Home or Amazon Alexa.'

MAKE IN INDIA

ABOUT ADVANTAGE

More than 200 products which can cover full home automation

Instant IOT cloud response and voice control in 0.3 ms.

You can use phlipton's Mobile Application to control smart devices.

Operate multiple devices remotely set smart scene in automation.

Product Introduction

Smart switches & control

Smart Curtains

Smart lighting

Smart Locks and Sensors

Smart Cloud Intercon - nection with 11,000+ products

Intelligent scenario Configuration-free

Three control methods Easy smart home experience

Security and reliability Military-level security

Cloud service Stable,reliable,and low power consumption

Easy installation No network configuration

Network access Various mainstream access methods

One app Easy control of your home

6

7

App Control

Use Jlink app to control and manage smart devicein your home

Jlink Application

One app manages all your Smart Devices

- Geo fencing
- Push Notification
- Schedule Devices
- Family & Home management
- Home Data monitoring
- Scene automation
- Remote Control
- Easy to add & remove devices

Scan JLINK INDIA

8

9

Voice speaker control

Smart speakers make your desired intelligence touchable, and devices that are associated with mainstream smart speakers in the world enlighten your life.

Alexa

Google Assistant

Siri

Homekit

matter

Alexa, set the air conditioner temperature to 26°C.

Okay......

Recommended brands

(Types of interconnected speakers and available functions are determined by specific product models.)

Google Home

Echo

Google Nest

Echo Show

Google Home Mini

Echo Dot

Apple Siri Shortcut

Switches & Control
Smart Curtains
Lighting
Central Control Panel
Locks & Security
Hotel Management Solution

LuxeRay ⓩ zigbee / WiFi™
Glass Panel Switches

JLINK

Glass Color Option ⚪ ⚫
Bezel Color Option 🟤 ⚪ ⚫

- 🔒 Child Lock
- Ⓩ Zigbee Mesh Technology delivers Unmatched Stability, Enables Offline Scene Operations
- 2.5D Curved Toughened Glass Panel with B&W Color Options
- CNC Machined Curved Metal Bezel available in Gold, Silver and Black Colors
- ⚡ Overload Protection up to 2.5KV
- Equipped with an ALS sensor, automatically adjusts its brightness based on the surrounding ambient light.

- Every Switch can handle 16A heavy loads and perform various functions, including 2-way, toggle, scene, and ZigBee lighting remote modes
- Customizable touch buttons with backlit colors, brightness settings, and icons.
- More than 50 variants: 2,4,6/8,12 modular sizes with Touch Screen, USB socket, light, fan and curtain switches combo
- Mobile App enabled with Alexa/Google/Siri shortcuts
- Make in India product

---

2 MODULAR

4 TOUCH PANEL
Model options
(4+0+0+0U, 2+0+1+0U, 2+1+0+0U, 0+1+1+0U, 0+0+2+0U)
Glass Color Option ⚪ ⚫
Bezel Color Option 🟤 ⚪ ⚫

4 MODULAR

8 TOUCH PANEL
Model options
(8+0+0+0U, 6+0+1+0U, 6+1+0+0U, 4+2+0+0U)
(4+1+1+0U, 4+0+2+0U, 2+2+1+0U, 2+1+2+0U)
(0+2+2+0U)
Glass Color Option ⚪ ⚫
Bezel Color Option 🟤 ⚪ ⚫

4 TOUCH + SOCKET PANEL
Model options
(4+0+0+1U, 2+0+1+1U, 2+1+0+1U)
(0+1+1+1U, 0+0+2+1U)
(4+0+0+1UL, 2+0+1+1UL, 2+1+0+1UL)
(0+1+1+1UL, 0+0+2+1UL)
Glass Color Option ⚪ ⚫
Bezel Color Option 🟤 ⚪ ⚫

6/8 MODULAR

10 TOUCH PANEL
Model options
(10+0+0+0U, 8+0+1+0U, 7+1+0+0U, 4+2+0+0U)
(5+1+1+0U, 3+1+2+0U, 2+2+1+0U, 0+2+2+0U)
Glass Color Option ⚪ ⚫
Bezel Color Option 🟤 ⚪ ⚫

8 TOUCH + SOCKET PANEL
Model options
(8+0+0+1U, 6+0+1+1U, 6+1+0+1U, 4+2+0+1U)
(4+1+1+1U, 4+0+2+1U, 2+2+1+1U, 2+1+2+1U)
(0+2+2+0)
(8+0+0+1UL, 6+0+1+1UL, 6+1+0+1UL, 4+2+0+1UL)
(4+1+1+1UL, 4+0+2+1UL, 2+2+1+1UL, 2+1+2+1UL)
(0+2+2+0UL)
Glass Color Option ⚪ ⚫
Bezel Color Option 🟤 ⚪ ⚫

12 MODULAR

10 TOUCH + SOCKET PANEL
Model options
(10+0+0+3L, 8+0+1+3L, 7+1+0+3L, 4+2+0+3L)
(5+1+1+3L, 3+1+2+3L, 2+2+1+3L, 0+2+2+3L)
Glass Color Option ⚪ ⚫
Bezel Color Option 🟤 ⚪ ⚫

AC Control

AV System Control

JLINK INDIA

zigbee/WiFi Universal remote control(IR)

Remote app control or local control of your home appliances such as air conditioner, television, music system or any remote operated devices with mobile app and other smart devices like third-party voice control speakers

All-in-one infrared remote control

70mm

JLINK INDIA

zigbee IR

40mm

JLINK INDIA

WiFi

Mini IR

Human Presence Sensor

zigbee

- Size : 49*49*10.5mm
- Input : DC 5V/1A Type-C port
- Radar Frequency : 5.8G/24G
- Radar Detect Range : 0~6 M
- Radar Detect Angle : >90°C
- Illuminance Range : 0~3000 Lux
- Wireless Protocol : Zigbee/Wifi 2.4G (Optional)

16

One line Telescopic Expandable center Opening Curtain track

- New telescopic patterned technology based curtain track is 51mm and easy to transport
- Electrophoresis process, metallic silver powder spraying process, dust-proof, anti-particle and anti-oxidation, smooth after long use.
- Use this curtain track and you will never need to worry about the size of the rail does not match the size of the curtain .

zigbee/WiFi Sliding Curtain Motor Solution

- Easily operate small and large size curtains using remote and mobile app.
- Silent Operating Motorized Curtain Track kit up to 16 feet track.
- Voice Control using Alexa and Google home through Jlink app.
- Contents - Motor, Remote, Track, Jointer, Runner poles, Master carrier, Driving Belt and Ceiling bracket.

17

Curtain

Switch

LED DRIVER

zigbee/WiFi In wall heavy duty retrofit switch modules

Control From Mobile App

Schedule Events | Retain Manual Control

Hands Free with Amazon alexa & Google Assistant

Easy and Intelligent Installation | Make Normal Tik-Tok switch Automated

Multi Times Support Delay, Loop Countdown | Configurable restore behaviour on Power / Resume

JLINK INDIA	JLINK INDIA	JLINK INDIA	JLINK INDIA
1 Node (40A)	2 Node (16A)	3 Node (16A)	4 Node (16A)

JLINK INDIA	JLINK INDIA	
1 Node Curtain	2 Node Curtain	Heavy Relay

zigbee
CE RoHS SELV

Dimmable & CCT Changing Smart LED Driver

Note : this driver can be used with any existing single color or Double color 12-18watt LED light, it can make LED light dimmable & CCT tunable (If LED is Dual color)

JLINK INDIA
Constant Current Dimmable LED Driver
Model : PN-ZLD
Input :85-265V 50/60Hz
Output : (280ma)
DC: 24-38V/36-60V
Ta:40 C Tc:75 C
L O
O N
W + Y
CE SELV
2021/7/26

280mA No Dip Switch Series

JLINK INDIA
Constant Current Dimmable LED Driver
Model :7/10/12/15 Watt
16/18/20/24 Watt
Input :160-265V 50/60Hz
Output :150-350mA(Dip Switch)
350-650mA(Dip Switch)
DC: 30 - 40V
Ta:40 C Tc:75 C
L O
O N
W + Y
CE SELV
2021/7/26

36V Dip Switch Series

T-PWM Super depth dimming technology	DIM / CT	Flicker - free IEEE 1789	Dimmable: 1-100%	Short Circuit Protection	12 Watt Can be Used with Single & Double Color LED	Overload Protection	Overheat Protection

Adopt SAMSUNG/COVESTROVO flame resistant polycarbonate protective Housings with small size and light weight.

Zigbee Mesh & Jlink India application protocol with high networking capability are reliable and stable.

Support Control IOS or Android devices through Zigbee Connection With Soft-on and fade-in Dimming Function enhancing visual comfort.

T-PWM Dimming technology allows continuous and flicker-free images under high-speed shooting.

1-100% Flicker-free dimming with high frequency exemtion level.

innovative thermal management technology protects the power life intelligently.

Overheat, overvoltage, overload short-circuit protection and automatic recovery.

suitable for indoor light applications of | / || / ||| / type.

Up to 50,000-hour life time.

18

19

Smart LED Strip and Controller

Smart LED Down Light

zigbee RGB+CCT 5 Ch / CCT 2Ch

- 2700-6500 K CCT & RGB color control
- 16 million shades to choose from
- Additional programmed pre-set modes and scenes
- Voice control with Amazon Alexa and Google Assistant
- Sync with your favorite music and sounds

RGB (16 M Colors)

2700 K — 6500 K

0 % — 100 %

Controller

JLINK INDIA
ZigBee LED Controller
SMART ZIGBEE
Powered by **tuya**
Intelligence Inside
-P/N: ZigBee-01-2CH/4CH
-INPUT:DC5-24V
-OUTPUT:5A/CH
-TOTAL OUTPUT:15A Max

RGBCW / CW

Combo

RGB+CCT   **CCT**

zigbee DOWN LIGHT

2700 K — 6500 K

0 % — 100 %

Concealed

DEEP SQUARE
DOWN LIGHT
Power = 12W/18W

DEEP ROUND
DOWN LIGHT
Power = 12W/18W

GLOWRIA
DOWN LIGHT
Power = 12W/18W

20

21

Advanced Architectural Lighting Solution

Jlink India presents a premium range of architectural lighting products which are CCT: 2700K to 6500K tunable & dimmable fitting options also available with 2.4G remote & WiFi Mobile app based.

2700 K — 6500 K
0 % — 100 %

zigbee

MAKE IN INDIA

---

zigbee DOWN LIGHTS

Surface

GLOW FALL
DOWN LIGHT
Power = 16W

| Dimension | 12° Beam Angle | Cut Out NA | ≥ 90 CRI | Dimming 1-10V/0-10V | TUNABLE WHITE | Available Color |

LUMA DROP
DOWN LIGHT
Power = 12W/18W

| Dimension | 12° Beam Angle | Cut Out NA | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE | Available Color |

zigbee SPOT LIGHTS

Surface

SURFACE
CYLINDER
Power = 12W/18W

| Dimension 75 X 125 mm | 38° Beam Angle | Cut Out NA | ≥ 90 CRI | Dimming 1-10V/0-10V | TUNABLE WHITE | Available Color |

ANGLE
MOVABLE CYLINDER
Power = 12W

| Dimension 90 X 95 mm | 38° Beam Angle | Cut Out NA | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE | Available Color |

LUX EASE
SPOT LIGHT
A-Glare
Power = 12W/24W

| Dimension | 38° Beam Angle | Cut Out NA | ≥ 90 CRI | Dimming 1-10V/0-10V | TUNABLE WHITE | Available Color |

EYE ZEN
SPOT LIGHT
Power = 12W/24W

| Dimension | 38° Beam Angle | Cut Out NA | ≥ 90 CRI | Dimming 1-10V/0-10V | TUNABLE WHITE | Available Color |

Concealed | Anti Glare

VISION SAFE
SPOT LIGHT
Power = 12W

| Dimension 12W: 70 X 61mm | 38° Beam Angle | Cut Out 65mm | ≥ 90 CRI | Dimming | TUNABLE WHITE | Available Color |

GLARE GUARD
SPOT LIGHT
Power = 12W/24W

| Dimension | 36° Beam Angle | Cut Out | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE | Available Color |

NIMBUS
SPOT LIGHT
Power = 12W/18W

| Dimension | 38° Beam Angle | Cut Out 12W:75mm | ≥ 90 CRI | Dimming 1-10V/0-10V | TUNABLE WHITE | Available Color |

PRISM
SPOT LIGHT
Power = 12W/18W

| Dimension | 24° Beam Angle | Cut Out 12W:78mm 18W:80mm | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | REFLECTOR | Available Color |

RAY
SPOT LIGHT
Power = 12W

| Dimension 91 X 44 mm | 38° Beam Angle | Cut Out 75mm | ≥ 90 CRI | Dimming 1-10V/0-10V | TUNABLE WHITE | Available Color |

DEEPCONE PRO
SPOT LIGHT
Power = 7W/12W/18W

| Dimension | 24°/36° Beam Angle | Cut Out 7W:35mm 12W:55mm 18W:68mm | ≥ 90 CRI | Dimming 1-10V/0-10V | TUNABLE WHITE | Available Color |

ORA
SPOT LIGHT
Power = 12W/18W

| Dimension | 36° Beam Angle | Cut Out 12W:75mm 18W:85mm | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE | Available Color |

GLINTLESS
SPOT LIGHT
Power = 12W

| Dimension | 24° Beam Angle | Cut Out 45 mm | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE | Available Color |

GLOW LUST
SPOT LIGHT
Power = 12W/18W

Dimension | 36° Beam Angle | Cut Out | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color

SPARKLE
SPOT LIGHT
Power = 12W/18W

Dimension | 24° Beam Angle | Cut Out | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color

DAZZEL
SPOT LIGHT
Power = 12W/18W

Dimension | 6° Beam Angle | Cut Out | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color

GLEAM
SPOT LIGHT
Power = 12W/18W

Dimension | 36° Beam Angle | Cut Out | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color

DIMORA
SPOT LIGHT
Power = 12W

Dimension | 36° Beam Angle | Cut Out | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color

SOFTSPILL
SPOT LIGHT
Power = 7W/12W

Dimension | 36° Beam Angle | Cut Out | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color

GLANZA CURVE
SPOT LIGHT
Power = 7W/12W/18W

Dimension | 24° Beam Angle | Cut Out | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color

EXTRA CONE
SPOT LIGHT
Power = 12W

Dimension | 38° Beam Angle | Cut Out | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color

JETT SPOT
SPOT LIGHT
Power = 7W/12W

Dimension | 36° Beam Angle | Cut Out | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color

DEEP CONE
SPOT LIGHT
Power = 7W/12W

Dimension | 24° Beam Angle | Cut Out | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color

SIGMA
SPOT LIGHT
Power = 12W

Dimension 85 X 80mm | 36° Beam Angle | Cut Out 75 mm | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color

INSTA GLOW
SPOT LIGHT
Power = 7W/12W/18W

Dimension | 24°/38° Beam Angle | Cut Out | ≥ 90 CRI | Dimming | Available Color

PRISM PRO
SPOT LIGHT
Power = 12W/18W

Dimension | 36° Beam Angle | Cut Out | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color

LUMINEX
SPOT LIGHT
Power = 12W

Dimension | 36° Beam Angle | Cut Out 75mm | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color

AURAGLOW
SPOT LIGHT
Power = 12W/18W

Dimension | 38° Beam Angle | Cut Out | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color

AURA
SPOT LIGHT
Power = 12W/18W

Dimension | 38° Beam Angle | Cut Out | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color

PRO COB
SPOT LIGHT
Power = 7W/12W/18W

Dimension | 24°/38° Beam Angle | Cut Out | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color

JETT SPOT
SPOT LIGHT
Power = 12W

Dimension 85 X 76mm | 36° Beam Angle | Cut Out 75mm | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color

DAPPER COB
SPOT LIGHT
Power = 7W/12W/18W

Dimension | 24° Beam Angle | Cut Out | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color

ULTRA LOW
SPOT LIGHT
Power = 12W

Dimension 75 X 58 mm | 38° Beam Angle | Cut Out 65mm | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color

DAPPER PLUS
SPOT LIGHT
Power = 12W

Dimension 90 X 95 mm | 30° Beam Angle | Cut Out 80 mm | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color

LOW DAPPER
SPOT LIGHT
Power = 12W

Dimension 72 X 75 mm | 30° Beam Angle | Cut Out 66 mm | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color

SHARP BEAM
SPOT LIGHT
Power = 8W/12W/18W

Dimension 8W 83 X 77mm 12W 108 X 93mm 18W 108 X 93mm | 36° Beam Angle | Cut Out 8W 40mm 12W 70mm 18W 70mm | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color

SPOT LUX
SPOT LIGHT
Power = 12W

Dimension 85 X 75mm | 30° Beam Angle | Cut Out 74mm | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color

FLEX BEAM
SPOT LIGHT
Power = 12W

Dimension 94 X 84mm | 30° Beam Angle | Cut Out 90mm | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color

BRIGHT PIN
SPOT LIGHT
Power = 12W

Dimension 50 X 110mm | 30° Beam Angle | Cut Out 42mm | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color

VISION PRO
SPOT LIGHT
Power = 12W

Dimension 70 X 61mm | 30° Beam Angle | Cut Out 65mm | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color

SPOT FLARE
SPOT LIGHT
Power = 12W

Dimension 73 X 84mm | 30° Beam Angle | Cut Out 64mm | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color

VISION CURV
SPOT LIGHT
Power = 12W

Dimension 71 X 61mm | 30° Beam Angle | Cut Out 65mm | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color

Trimless

TRIM GLOW
SPOT LIGHT
Power = 12W

Dimension 7W 85 X 75mm 12W 115 X 95mm 18W 122 X 110mm | 36° Beam Angle | Cut Out 7W 65mm 12W 75mm 18W 75mm | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color

Trimless

GLIDE
SPOT LIGHT
Power = 7W/12W/18W

Dimension 7W 65 X 95mm 12W 72 X 105mm 18W 92 X 110mm | 26° Beam Angle | Cut Out 7W 55mm 12W 65mm 18W 75mm | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color

DOT CURV
SPOT LIGHT
Power = 12W

Dimension 69 X 53mm | 30° Beam Angle | Cut Out 50mm | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color

SPOT DOT
SPOT LIGHT
Power = 12W

Dimension 71 X 96mm | 30° Beam Angle | Cut Out 64mm | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color

Trimless

PIN POINT
SPOT LIGHT
Power = 7W

Dimension 66 X 72mm | 30° Beam Angle | Cut Out 34mm | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color

Trimless

FLEX PIN
SPOT LIGHT
Power = 7W

Dimension 72 X 88mm | 30° Beam Angle | Cut Out 50mm | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color

GLINT DOT
SPOT LIGHT
Power = 12W

Dimension 75 X 96mm | 30° Beam Angle | Cut Out 65mm | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color

PIXEL
SPOT LIGHT
Power = 12W

Dimension 66 X 72mm | 30° Beam Angle | Cut Out 18mm | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color

LINEA GLOW
SPOT LIGHT
Power = 10W

Dimension 128 X 35 X 54mm | 30° Beam Angle | Cut Out 25X119mm | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color

LUMA LINE
SPOT LIGHT
Power = 15W

Dimension 160 X 55 X 42mm | 30° Beam Angle | Cut Out 25X146mm | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color

GLIMMER
SPOT LIGHT
Power = 10W

Dimension 127 X 32 X 40mm | 30° Beam Angle | Cut Out 24X120mm | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color

SEAM LINE
SPOT LIGHT
Power = 15W

Dimension | 30° Beam Angle | Cut Out | ≥ 90 CRI | Dimming Triac 1-10V/0-10V | TUNABLE WHITE AVAILABLE | Available Color

zigbee Wireless 12 Scene Switch

- Wireless remote control
- Four different color options (Silver, Gold, Black & White)
- Up to 12-month battery life
- 12 different scene controls
- Supports Type-C charging
- Comes with a magnetic wall plate

zigbee Premium Metal Wireless 18 Scene Switch

- Wireless remote control
- three different color options (Gold, Black & Gray)
- Up to 12-month battery life
- 18 different scene controls
- 2 x CR2032 Replaceable Battery
- Comes with a magnetic wall plate

zigbee Premium Metal Knob

- Wireless remote control
- three different color options (Gold, Black & Gray)
- Up to 12-month battery life
- 18 different scene controls
- 2 x CR2032 Replaceable Battery
- Comes with a magnetic wall plate

zigbee Smart Rotary knob for lighting control

- Can control dimming, turn on/off and can change the color of Jlink India Zigbee lights.
- Can control 5 different scenes to control all Jlink India devices
- 1-year-long battery life
- 2-in-1 mode: 1-scenario mode, 2-Zigbee lighting control remote
- Comes with a magnetic plate for easy installation and portability

28

zigbee ✳ matter Wired Apple Homekit Gateway

- Zigbee apple homekit gateway supports 128 zigbee devices.
- It's support apple homekit for smart Zigbee lighting.
- Matter supported Zigbee and Thred gateway.

zigbee + Bluetooth wireless socket multimode Gateway

- Supports 64 zigbee + 64 Bluetooth mesh devices.
- Portable direct socket fit design.
- Direct connect to wifi.

zigbee Signal Repeater for Gateway

- Zigbee signal repeater extends the range upto 20mtr.
- USB type repeater directly fit into adapter.

zigbee Wired Pro Gateway

- It supports 200 zigbee devices Simultaneously
- Ethernet and WiFi Dual Connection
- Support 200 meter Outdoor and 20 meter Indoor range

29

JLINK INDIA

48V SMART ULTRA-THIN 26mm
MAGNETIC & WOVEN TRACK LIGHT COLLECTION

48V WOVEN TRACK

16.8mm

1000mm or 2000mm

3mm

Color

Orange/Green/Khaki/Gray/Black

6mm

26mm

ULTRA-THIN MAGNETIC TRACK SHOW

Color

White/Black

2700 K   6500 K

0 %   100 %

Grill: 6W/12W/18W/24W/30W	Flood: 5W/10W/20W/30W	Folding Grill: 10W/20W	Folding Flood: 10W/20W
Adjusting Grill: 6W/12W	Down Light R1: 6W	Down Light S: 6W	Down Light R2: 6W
Spot Light 1: 6W	Spot Light 2: 9W/18W	Spot Light 3: 9W*2	Spot Light 4: 6W/10W/18W
Round Spot: 9W	Deep Round Spot: 9W	Round Spot Laser: 9W	Ball Light: 6W
Glass Ball Light: 6W	Ball Spot Light: 10W	Plain/Moon/Earth Ball Light: 6W	Round Wall Light: 9W
Tube Light: 10W/20W/30W	Hanging Plain/Moon/Earth : 6W	Pendant Ball/Spot/Cylinder : 6W	Flexible Silicon Tube: 8W/16W/32W

30   31

Z zigbee

**24V SMART SUPER-THIN 5mm
MAGNETIC TRACK LIGHT COLLECTION**

Ultra-narrow magnetic track system

5mm wide

32   33

Jlink 4" Multi-Functional ⓩ zigbee Central Control Panel with Alexa Support

3.5" SCREEN*   4" SCREEN

- Now Comes with inbuilt Alexa Support for voice control
- Support Two-Way Communication with door bells.
- An extremely powerful central control device for all Jlink smart devices and intelligent scenes.
- Inbuilt IR Blaster & Sigmesh Gateway (Without Zigbee Gateway & Alexa Support)

- Supports upto 100 ZigBee devices & acts like ZigBee gateway.
- Auto Brightness adjusted as per environment.
- Supports two modular standard Indian gang boxes; easy to install
- With latest TUYA operating system

amazon alexa

Phlipton 10" Multi-Functional ⓩ zigbee Central Control Panel with Alexa Support

- An extremely powerful central control device for all JLINK smart devices, equipped with intelligent scenes and capable of receiving calls and alerts from doorbells and cameras.
- This multifunctional screen comes with 4 action buttons from which you can control scenes, control volume, increase or decrease the brightness.
- Supports WIFI, Zigbee and Bluetooth to meet different customer needs.
- Supports standard 86 box installation and acts as a Zigbee gateway.

amazon alexa

Phlipton 8" Multi-Functional ⓩ zigbee Central Control Panel with Alexa Support

- An extremely powerful central control device for all JLINK smart devices, equipped with intelligent scenes and capable of receiving calls and alerts from doorbells and cameras.
- This multifunctional screen comes with 1 action buttons from which you can control scenes
- Supports WIFI, Zigbee, Bluetooth, Universal IR to meet different customer needs.
- Supports indian standard Gangbox installation and acts as a Zigbee & Bluetooth gateway.
- Amplifier Interface: Allows connection for dual channel background music speaker

amazon alexa

34   35

JLINK Glass Series

WiFi

Model: G1

BACKSIDE

- Material: Zinc alloy and Acrylic keypad
- Power supply: 4pcs AA alkaline batteries
- Unlock method: app, code, card, fingerprint passcode
- Card capacity & Fingerprint capacity: 150pcs
- Application: wooden door/ Glass door/ aluminium door
- Glass door thickness requirement: 8-14mm

Thickness 8-14mm

JLINK Series - 1 Pro

- Fingerprint Unlock
- RFID Card Unlock
- Passcode Unlock
- Emergency Power
- Low Battery Indication
- Mechanical Key Unlock
- RX-TX Remote Support

Models :
BASIC / zigbee / WiFi / ((o)) 433 MHz

Heavy Lock Body 24 X 240mm

VDP integration (optional)

Open From VDP (optional)

Thickness 38-110mm

Series - 1Pro G

- With Front Display
- Fingerprint Unlock
- RFID Card Unlock
- Passcode Unlock
- Emergency Power
- Low Battery Indication
- Mechanical Key Unlock
- RX-TX Remote Support

Models :
BASIC / zigbee / WiFi / ((o)) 433 MHz

VDP integration (optional)

Heavy Lock Body 24 X 240mm

Open From VDP (optional)

Thickness 38-110mm

JLINK Bedroom Series

WiFi

Bluetooth

Model B1
Knob Style

- Alluminium Alloy Casting
- Power supply - 4pc AAA (B1), 4pc AA (B2)
- Unlock option - Fingerprint, RFID card, Mechanical key, Passcode, App unlock
- Indoor knob for easy unlock
- Hidden Key Unlocking

Thickness 30-55mm

Model B2
Deadbolt Style

JLINK
Series- 3

- With Front Display
- Fingerprint Unlock
- RFID Card Unlock
- Passcode Unlock
- Emergency Power
- Rechargeable lithium battery
- Mechanical Key Unlock
- RX-TX Remote Support

Models :
BASIC / zigbee / WiFi™ / ((o)) 433 MHz

Heavy Lock Body 24 X 240mm

VDP integration (optional)

Open From VDP (optional)

Thickness 38-110mm

JLINK INDIA

JLINK
Series - 4 lite   WiFi™

- Palm recognition, 3D Face Recognition, Fingerprint, Passcode, RFID card, Mechanical key, App unlock option.
- 1.3MP camera & 4.5 inch display inside.
- One Touch Unlock
- Rechargeable lithium battery
- USB emergency Power supply
- 6068 mortise compatible, 5 Heavy duty Latches
- Secure Zinc alloy + ABS, Anti corrosion & Sturdy.
- Smart Bind with JLINK Video Door Bell
- Rx Tx remote supported

Heavy Lock Body 24 X 240mm

3rd Party VDP Integration

Active Smart Lock Bind

Thickness 45-90 mm

JLINK INDIA

JLINK
Series - 3 Pro   WiFi™

SMART LOCK

- Face ID, Fingerprint, Passcode, RFID card, Mechanical key, App unlock option
- One Touch Unlock
- Rechargeable lithium battery
- USB emergency Power supply
- 6068 mortise compatible, 5 Heavy duty Latches
- Aluminium Alloy Panel, Anti corrosion & Sturdy.

Active Smart Lock Bind

Heavy Lock Body 24 X 240mm

Thickness 45-90 mm

ONE TAP UNLOCK

ACTIVE VIDEO CALL

JLINK INDIA

JLINK
Series - 4   WiFi™

- 3D Face Recognition, Fingerprint, Passcode, RFID card, Mechanical key, App unlock option.
- 1.3MP camera & 4.5 inch display inside.
- One Touch Unlock
- Rechargeable lithium battery
- USB emergency Power supply
- 6068 mortise compatible, 5 Heavy duty Latches
- Zinc alloy + ABS, Anti corrosion & Sturdy.
- Smart Bind with Phlipton Video Door Bell

VDP integration (optional)

Heavy Lock Body 24 X 240mm

Active Smart Lock Bind

Thickness 45-90 mm

JLINK INDIA

SMART LOCK

JLINK - Series-AL1 ☷ Bluetooth

- **Fingerprint, Passcode, RFID card, Mechanical key, App unlock option.**
- **USB emergency Power supply**
- **Hijacking Alarm**
- **One Time Password & Check Past History**
- **Power Supply - 4 AAA Battery**
- **Slim design for Aluminium profile.**

Active Smart Lock Bind

Heavy Lock Body 24 X 240mm

Thickness 38-110mm

JLINK INDIA

JLINK - Series-VL1 📶 WiFi

- **Face ID, Fingerprint, Passcode, RFID card, Mechanical key, App unlock option.**
- **1.3MP camera & 4.5 inch display inside.**
- **One Touch Unlock**
- **Rechargeable lithium battery**
- **USB emergency Power supply**
- **Privacy Latch**
- **Hijacking Alarm**

Active Smart Lock Bind

Heavy Lock Body 24 X 240mm

ONE TAP UNLOCK

Thickness 45-90 mm

ACTIVE VIDEO CALL

Smart Video Doorbell With Motion sensor 📶 WiFi

- Active Smart Lock Bind Technology to unlock through Doorbell interface
- 1080P Full HD High Quality Image
- IP65 waterproof rating
- Built in Camera, Night Vision and Motion Detector.
- Equipped with an indoor sensor.
- Night light wireless chime with 58 music options and different volume levels
- Max. 128GB SD card recording without network
- 2000 mAh battery with type C charging support (12V DC power supply optional)

Active Smart Lock Bind Technology

Smart Lock Bind Technology	1080P HD VIDEO	130 Wide-angle Camera Lens	IP65 Waterproof	Night Vision
PIR Motion Alerts	Cable Powered (Dc12)	Moblie phone monitoring	Two-Way Audio	Real-Time Video

Cabinet Lock

- Low Battery Warning
- Energy Saving Technology With Long Battery Life
- Power supply - 3pcs AAA battery
- Widely used in the Cabinet, Drawers, Lockers at Home & Office etc.

Finger Cabinet Lock

Smart Card/NFC Cabinet Lock

JLINK - Series - 5 WiFi

- Palm Vein, Face ID, Fingerprint, Passcode, RFID card, Mechanical key, App unlock option.
- 1.3MP camera & 3.5 inch display inside.
- One Touch Unlock
- Rechargeable lithium battery
- USB emergency Power supply
- 6068 mortise compatible, 5 Heavy duty Latches
- Secure Zinc alloy + ABS, Anti corrosion & Sturdy.
- Smart Bind with JLink Video Door Bell
- Privacy Latch
- Hijacking Alarm
- Rx Tx remote supported

Wireless Doorbell button & Indoor chime

Active Smart Lock Bind

3" Party VDP Integration

Heavy Lock Body 24 X 240mm

Thickness 45-90 mm
ACTIVE VIDEO CALL
ONE TAP UNLOCK

JLINK Series - 6 WiFi

- Palm Vein, Face ID, Fingerprint, Passcode, RFID card, Mechanical key, App unlock option.
- 1.3MP camera & 4.5 inch display inside.
- One Touch Unlock
- Rechargeable lithium battery
- USB emergency Power supply
- 6068 mortise compatible, 5 Heavy Duty Mortise
- Secure Zinc alloy + ABS, Anti corrosion & Sturdy.
- Smart Bind with JLink Video Door Bell
- Privacy Latch
- Hijacking Alarm
- Special CNC finish

Active Smart Lock Bind

3" Party VDP Integration

Heavy Lock Body 24 X 240mm

Thickness 45-90 mm
ACTIVE VIDEO CALL
ONE TAP UNLOCK

JLINK - Series - 5Pro WiFi

- Palm Vein, Face ID, Fingerprint, Passcode, RFID card, Mechanical key, App unlock option.
- One Touch Unlock
- 1.3MP camera & 4.5 inch display inside.
- Rechargeable lithium battery
- USB emergency Power supply
- 6068 mortise compatible, 5 Heavy Duty Mortise
- Secure Zinc alloy + ABS, Anti corrosion & Sturdy.
- Privacy Latch
- Hijacking Alarm
- Smart Bind with JLink Video Door Bell

Dual Full Size Battery

Active Smart Lock Bind

Heavy Lock Body 24 X 240mm

Thickness 45-90 mm
ACTIVE VIDEO CALL
ONE TAP UNLOCK

40

41

HOTEL MANAGEMENT
SOLUTION

JLink India offers intelligent hotel door locks that are linked to advanced cloud-based hotel management software using smart OT gateways. The system allows you to keep track of guest status and battery life of all locks in the hotel. The software enables multiple access control layers, management, and monitoring of hotel occupancy through a mobile app or computer. JLink India provides a complete one-stop hotel solution with other smart accessories such as hotel room glass panels, power-saving switches, and RFID cards.

HIGH SECURITY SMART HOTEL DOOR LOCK WITH RFID, PHYSICAL KEY,MOBILE APP MANAGED BY PC HOTEL SOFTWARE

SMART FLOOR GATEWAY FOR HOTEL DOOR LOCKS

INDOOR TOUCH SWITCH DND DOORBELL SYSTEM CRYSTAL GLASS PANEL FOR HOTEL ROOM

507

MECHANICAL DINGDONG DOORBELL FOR HOTEL

OUTDOOR TOUCH SWITCH DND DOORBELL SYSTEM CRYSTAL GLASS PANEL FOR HOTEL ROOM

RFID IC CARD FOR HOTELS COMPATIBLE WITH PC HOTEL MANAGEMENT SOFTWARE

HOTEL RFID CARD READER & ISSUER COMPATIBLE WITH PC HOTEL SOFTWARE

PREMIUM ACTIVATION CODE FOR PC HOTEL MANAGEMENT SOFTWARE (*IF PURCHASED LOCKS FOR WHOLE PROJECT)

HOTEL INTELLIGENT 40A POWER SAVING SWITCH COMPATIBLE WITH IC CARDS

H-01

H-02

H-03

H-04

H-05

H-06

H-07

H-08

H-09

H-10

H-11

H-12

H-13

H-14

H-15

46

47

Replacing the traditional unlock mode smart lock helps you connect everything

- Industrial-grade precision and high-quality craftsmanship.
- Endured thousands of tests to ensure durability and quality.
- Equipped with unique moisture-proof technology, making it
  suitable for use in moist areas.

A doorbell and also a monitor Allows you to see the outside clearly at a glance

A broad view and all-day mobile monitoring brings you reassurance even when you are away from home

Welcome JLink India

Remote Control

Voice Control

Smart Scenes

AUTO Automation

08:00

Wake-up

Automatically opens curtains at a scheduled time and plays music tailored to your habits to wake you up.

10:00

Going out

Automatically switches off appliances like lamps, air conditioners, and televisions when you leave home.

13:00

Security alarm

Sends an alarm to you when the door and a window of your house is opened and you are not at home. You can turn on the camera to verify the condition.

17:00

Going home

You can enable the going-home mode using your phone on your way home, and the system automatically turns on the air conditioner and lamps for you.

22:00

Temperature adjustment

Maintains optimal room temperature for quality sleep by automatically adjusting the air conditioner based on changes in the room temperature.

20:00

Good night

Simply say "good night" to close curtains and turn off lamps.

18:00

Lighting adjustment

Automatically turns on lamps based on the local sunset time if any family member is at home.

19:00

Voice control

You can turn on or off lamps and select audio or video programs to watch with your voice.

"JLink aims to make technology more accessible to all income groups, we at JLink try to automate as many homes as possible. Our reasonably priced solutions make managing small tasks / chores around the house a breeze."

JLINK INDIA

Flip the way you switch
www.jlinkindia.com

MAKE IN INDIA

JLINK INDIA
AI automation